
10/027,692

1043-2

Exhibit A






R CLEANING METAL

TECH SHEET

MAGNA-BON* INTERNATIONAL 3551 S.W. Corporate Parkway Palm City, Florida 34990 Phone: 1-407-220-4566 Fax: 1-407-220-4708 For Technical Assistance 1-800-845-1357 MAGNA-BON® is a Registered Trademark of MAGNA-BON® Corporation

CAAGNA-BON" CORPORATION 1994 ALL RIGHTS RESERVED

NOTES



GENERAL INFORMATION

creates pits in the metal for better paint superior to cleaning with grinders; wire brushes, microscopic pores of the metal. This procedure etc. It will remove carbon and rust molecules from the surface as well as from the preparation for coating applications is far Metal cleaning with Magna-Bon® Sorbertrol™ in

proton, will tightly attach itself to another hold to other materials with a very tight grasp. Magna-Bon® Sorbertrol™, with its extra donor electron, as a magnet would do. "claw". That is, it will wrap around, bond, or The word "Chelate" is a Greek word meaning ions and holding them for long periods of time. chelate. It has the capability of chelating metal Magna-Bon[®] Sorbertrol[™] Is a very strong acidic

always be used as the chelating agent Bon Sorbertrol will attach to equal amounts of metal ions. Magna-Bon Sorbertrol is the only meaning that 100% of the molecules in Magna-100% acidic chelate known today. Where time Magna-Bon® Sorbertrol™ is a 100% chelate, involved, Magna-Bon® Sorbertrol®

clean metal that has oil on its surface. Magna-Bon® Sorbertrol™ will not penetrate RUST REMOVAL AND METAL CLEANING: Magna-Bon® Sorbertrol" will not remove rust or DIRECTIONS FOR USE

> paint or coatings. baking soda mixed with water. create deterioration of the metal. When metals applied, rinse in clean caustic solution such as are thoroughly cleaned, before coatings are molecular structure and Magna-Bon® Sorberrol cannot tell when it has completed thoroughly and allow to dry before applying Magna-Bon®Sorbertrol™will continue to remove removal of the rust particles. If not removed, the iron molecules from the steel. This will be taken in that rust and iron have the same sprayer may be used. Caution should always for maximum results, a high pressure hot water thoroughly saturated with the Magna-Bon® Sorbertrol mixture, it can then be wiped off; or water, and either spray the mixture onto the place. For best results mix one (1) part of Magna-Bon® Sorbertrol™ with three (3) parts heavy rust concentrations. most cases, but longer time may be required for Approximately 5 to 10 minutes are sufficient in metal or dip the metal into this solution. products. Therefore, metal should be clean, iree of oil and dirt before rust removal can take hydrocarbons contained in many petroleum with three (3) parts When rust is

Sorbertrol to three (3) parts water. Thoroughly applying a mixture of one (1) part Magna-Bon trees, etc., in shaded areas can be removed by appearing material that buildup on buildings, ON BUILDINGS, RUST AND RUST APPEARING MATERIAL ETC: Rust and rust

> washer. CAUTION should be taken as Magnaand the Magna-Bon® Sorbertrol®. between the alkaline in the concrete or brick when spilled onto concrete. This is a reaction Bon® Sorbertrol™ will cause a foaming action remove, simply rinse with a high pressure rust appearing material will turn yellow spray. Within thirty (30) minutes the rust and Indicating that the bond has been broken. To cover the entire affected areas with a fine mis-

which may not be varied or user accepts it subject to the foregoing terms product. This product is offered and the buyer connected with the use or handling of this consequential special or indirect damages other warranty if the product is used contrary to the buyer, and will in no event be liable for any liable for more than the cost of this product to to the seller. In no case shall the seller be conditions or under conditions not foreseeable the label instructions or under abnormal MERCHANTABILITY expressed or implied or any makes no other warranties of FITNESS label for use under normal conditions, but conforms to the chemical description and is reasonably fit for the purpose stated on the REMEDIES: Seller warrants that the product LIMITED WARRANTY AND LIMITATIONS OF

1043-2

MATERIAL SAFETY DATA SHEET
May be used to comply with
OSHA's Hazard Communication Standard

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
(Non-Mandatory Form)

THE NEW MAGNA-BON CORPORATION 1531 N.W. 25th DRIVE OKEECHOBEE, FL. 34972

MATERIAL SAFETY DATA SHEET

Product Identity: MAGNA-BON SORBERTROL

Emergency Telephone Number: 1-800-424-9300

(CHEMTREC)

Manufacturer's Name and Address

THE NEW MAGNA-BON CORPORATION, INC. 1531 N.W. 25th DRIVE OKEECHOBEE, FL. 34972 1-863-357-0400

DATE PREPARED: July 22, 1993

Signature of Preparer (Optional)

Section 1 - Hazardous Ingredients Identify Information

NONE

Section 11 - Physical and Chemical Characteristics

Bolling Point:

224.2°F

Specific Gravity:

1.35

Vapor Pressure (MM Hgt.):

0.1mm 68°F

Melting Point:

NA

Vapor Density (Air=1):

1.00

Evaporation Rate:

N/A

Solubility In Water

Very Soluble

Appearance and Odor

Clear Liquid; Mild Odor

Section III - Fire and Explosion Hazard Data

Flash Point:

None

Flammable Limits:

None

Section IV - Reactivity Data

Stability:

Stable

Incompatibility (Materials To Avoid):

Avoid mixing with strong bases and strong reducing agents.

Hazardous Decomposition of Byproducts:

Sulfuric acid fumes may be generated by thermal decomposition.

Hazardous Polymerization:

Will not occur

Section V - Health Hazard Data

Health Hazards (Acute and Chronic):

Avoid breathing fumes

Signs and Symptoms of Exposure:

allergies may occur. Skin irritation may occur. Avoid prolonged body contact. (Always use protective clothing).

Medical Conditions Generally Aggravated by Exposure:

Sulfur allergies may occur.

Emergency and First Aid Procedures:

Treat as a sulfur base reaction. Always move

to fresh air.

Section VI - Precautions for Safe Handling and Use

Steps to be Taken in case Material is Released or Spilled:

Flush with water into a retaining area.

Contain and neutralize with bicarbonate of

soda or limestone.

Waste Disposal Method:

Neutralize with bicarbonate of soda or fertilizer grade limestone and dispose of in accordance with all applicable Federal, State and Local Environmental Regulations.

Precautions to be taken in Handling and Storage:

Avoid Storage in excessive heat, as

expansion of container may occur creating

spillage.

Other Precautions:

Do Not store in nylon or galvanized

equipment. Concentrate will destroy nylon

and cotton cloth.

Section VII - Control Measures

Respiratory Protection (Specify Type):

Adequate local ventilation

Ventilation:

Yes

Local Exhaust:

Yes

Protective Gloves:

Yes

Eye Protection:

Yes

Work Hygienic Practices:

Body Shower for Prolonged Skin Contact.



Tel. +1 (305) 406-4400 Fax +1 (305) 406-4425 Contact: Lissette Garcia

MAGNA-BON CORPORATION 1531 N.W. 25TH DRIVE OKEECHOBEE, FL 34972 UNITED STATES OF AMERICA JEFF LUNK

INVOICE

NO: MIA404068 CUSTOMER NO: 062313 INVOICE DATE: 7/20/2004 SHIPMENT NO.: MIASE03012 MBL NO.: BL NO.:MIARTM400345

		,
	EN B.V. MR.PETER KALKMAN PH3118657882 N CORPORATION 1531 N.W. 25TH DRIVE	7
SHIPPER'S REF. : INVOICE 6 ETD : 7/18/2004 ORIGIN : CHARLESTO DESTINATION : ROTTERDAN GROSS WEIGHT : 1447.0 KG	TERMS OF DELIVERY VOYAGE NO. OF PIECES SHIPMENT DATE	: CFR : PONL SYDNEY / 60 : 1 Pallet(s) : 7/20/2004
DOCUMENTATION		75.00
WAR RISK	·	15.00
AES FILING		30.00
O/F		200.00
COURIER FEE	• •	35.00
DISBURSEMENT FEE	HELLMANN WOHLDWIDE LOWISHES, MG. IMS A PO PAYMENT GOLFETTION, FO HERSE'T OF ARY NEDA OR HIDDRECTLY, WHICH WOULD BE UNLAWFU THE UNITED STATES SHIPPING ACT, OF	LULY AGAINST TE. DIFECTLY LUNDER 5.33

TO YOUR DEBIT

360.33 USD

Remarks: INV 4513

Net 15 Days

Please remit to: HELLMANN WORLDWIDE LOGISTICS, INC. P.O. BOX 930329 ATLANTA, GA 31193-0329 ATT. ACCOUNTS RECEIVABLE

Printed on: 20/7/2004 by Lissette Garcia

Charges invoiced herein are for services provided pursuant to the standard Hellmann Worldwide Logistics Terms and Conditions previously provided.

10/08/2004 13:03 FAX 12129710417 BILL OF LADING JACK SCHWARTZ & ASSOC.

Shipper Bill of Lading No. Shipper's Ref. MAGNA-BON CORPORATION MIASE03012 MIARTM400345 1531 N.W. 25TH DRIVE OKEECHOBEE, FL 34972 UNITED STATES OF AMERICA Ref #: INVOICE 4513 HELLMANN WORLI CS 10450 DORAL B Consignee (if "to Order" so indicate) MIAMI, FL 33078 VAN IPEREN B.V. UNITED STATES MR.PETER KALKMAN PH31186578827 CHB# 13601 FMC# SMIDSWEG 24,3273 LK WESTMASS POSTBUS 1333,3260 AH OUD-BEIJERIAN THE NETHERLANDS CEAN LINE Notify Party (No claim shall attach for failure to notify) VAN IPEREN B.V. For Delivery, Please Apply To
DATEMA HELLMANN WORLDWIDE MR.PETER KALKMAN PH31186578827 LOGISTICS B.V., SMIDSWEG 24,3273 LK WESTMASS POSTBUS 1333,3260 AH OUD-BEIJERIAN P.O. BOX 29035 THE NETHERLANDS 3001 GA ROTTERDAM THE NETHERLANDS Port of Loading CHARLESTON Pre-Carriage by Place of Receipt MIAMI Place of Delivery Vessel Port of Discharge No. of Original Bills of Lading ROTTERDAM PONL SYDNEY / 60 ROTTERDAM 0 / ZERO Number of pkgs. Description of Goods and Pkgs. Marks & Numbers or shipping units **Gross Weight** Measurement

TOTAL: ONE (1) PALLET ONLY

LCL/LCL

1 PLTS

1447.000 KG

1.450 CBM

AS ADDRS INV NO. 4513

CHEMICAL NON-HAZARDOUS (SORBERTROL)

NO SED REQ.AES954140705-MIASE03012

1 PLTS =====

//FREIGHT PREPAID// 1.450 CBM

1447.000 KG

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. Law

FMC Number: 222	Total 1 Temperature Control Instru			tions: EXPRESS BILL OF LADING		
Freight Payable At	PREPAID /	ORIGIN	*********	Excess Value Declaration: Refer to Clause 6 (4) (B) - (C) on reverse side		
Freight Details, Charges Etc. DOCUMENTATION WAR RISK	-	SD SD	75.00 15.00	RECEIVED by the Carrier the Goods as specified above in apparent good order and condition unless otherwise stated, to be transported to such place as agreed, authorized or permits therein and subject to all terms and conditions appearing on the front and reverse of this Bill		
ABS FILING		SD	30.00	Lading to which the Merchant agrees by accepting this Bill of Lading, any local privileges an customs notwithstanding.		
O/F	US	SD	200.00	. The particulars given above as stated by the shipper and the weight, measure, quantity, co		
COURIER FEE	Us	SD	35.00	tion, contents and value of the Goods are unknown to the Carrier.		
				In WITNESS whereof one original Bill of Lading has been signed if not otherwise stated above, the same being accomplished the other(s), if any, to be void. If required by the Carrier one (1) original Bill of Lading must be surrendered duly endorsed in exchange for the Goods or delivery		
Shipped On Board The Vessel				order		
At CHARLESTON Signed By HELLMANN	On (date)]	18.07.04		Place and Date of Issue MTAMI, 18.07.2004 Signed on behalf of the Carrier: PELORUS OCEAN LINE		
	•			HELLMANN WORLDWIDE LOGISTICS		

By:

Ø018 1043-2

New Magna-Bon Corp., Inc. 1531 NW 25th Drive Okeechobee, Fl. 34972

INVOICE

Susan Wright

4513

Van Iperen B.V. Mr. Peter Kalkman Smidsweg24, 3273 LK Westmaas Postbus 1333, 3260 AH Oud-Beijerlan

Ship To: Van Iperen B.V. Mr. Peter Kalkman Smidsweg 24, 3273 LK Westmaas Postbus 1333, 3260 AH Oud-Beijerlan The Netherlands

Date: 06/09/2004

Number: 4513

Account Number: 1108

Payment Terms: Due On Receipt Reference: P.O. #: Kalkman

Product#	Rate/Quan.	Product Description / Comments	Unit Price	Ť	Extended Price
Sorbertrol	275	galloris Lot# 040124-1		Y	delica a a delicale regularia.
Freight	1.00	shipping		Y	
					·

Paid Amount: 0.00

Total: Sales Tax: Grand Total: Balance Due:



10/027,692

1043-2

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that the accompanying Amendment Upon Final Rejection is being facsimile transmitted to Facsimile No. (703) 872-9306 at the United States Patent Office on October 8, 2004.

October 8, 2004

Date

(212) 971- 0416

Reg. No. 55,027

se R. Bucholtz